

20002.119

DESTRUCTIBLE PRIVACY LABEL**TECHNICAL FIELD**

This invention relates to labels used in connection with patient care with medical objects
5 such as medical records, medical containers, and medical devices and, more particularly, to privacy labels that are easily destructible to insure patient privacy after use.

10 BACKGROUND OF THE INVENTION

Health care providers commonly label medical objects such as charts, medical devices, and medication containers associated with a particular
15 patient to ensure that the patient receives their intended medical care. However, the Health Insurance Portability and Accountability Act (HIPAA) requires health care providers to hide a patient's identity before disposing of any medical objects associated
20 with the patient.

Patient identification is commonly accomplished by attaching a one-piece label having an adhesive lower surface adapted to adhere to a medical
25 object and an upper surface for displaying indicia such as a patient's name, social security number, or a barcode. At the conclusion of a medical treatment, i.e. when a labeled medical container such as an intravenous (IV) bag is emptied, the label must be

adequately destroyed to make the indicia printed thereon illegible. This requires a health care provider to tear away or adequately cross out the indicia printed on the label to protect a patient's identity before disposing of the medical object. --

SUMMARY OF THE INVENTION

The present invention provides a destructible privacy label for use with patient labeled medical objects such as medical records, medication containers, and medical supplies. The destructible privacy label is easily destroyable prior to disposal of the associated object thus rendering patient identifying indicia on the label illegible. The destructible privacy label aids a health care provider by allowing the provider to easily destroy the indicia displayed on the sheet-like member by removing one of the segments.

20

A destructible privacy label in accordance with the present invention includes a sheet-like member having an upper surface and an adhesive lower surface. The upper surface is adapted for printing indicia thereon. The sheet-like member includes two segments conjoined about a separation line that defines adjacent segment edges and the separation line has a curvilinear shape. Each segment is separable from the other along the separation line. Removing one of the segments of the sheet-like member from the other renders indicia printed on the sheet-like member upper surface illegible.

In a preferred embodiment, the separation line may be sinusoidal and extends from one edge of the sheet-like member to another edge of the sheet-like member. The separation line may also be a cut line.

Optionally, the destructible privacy label may include a removable release liner contacting the sheet-like member adhesive lower surface. This preserves the adhesive on the sheet-like member prior to use of the label. The surface of the release liner contacting the sheet-like member adhesive lower surface may be siliconized. One segment of the sheet-like member may also have a permanent adhesive on the adhesive lower surface. Alternatively, the destructible privacy label may further include a second sheet-like member having an upper surface and an adhesive lower surface, wherein the upper surface releasably contacts the first sheet-like member adhesive lower surface. The upper surface of the second sheet-like member may be siliconized and a removable release liner may contact the second sheet-like member adhesive lower surface. The surface of the release liner contacting the second sheet-like member adhesive lower surface may also be siliconized. The second sheet-like member provides a mounting surface between the first sheet-like member and an associated medical object so that one of the segments may be easily removed to destroy the first sheet-like member to render indicia printed thereon illegible.

In an alternative embodiment, a destructible privacy label includes a sheet-like member having an upper surface and an adhesive lower surface. The upper surface is adapted for printing indicia thereon. The sheet-like member includes a plurality of remainder segments and at least one removable segment that is separable from the remainder segments. Removing the removable segment from the remainder segments renders indicia printed on the sheet-like member upper surface illegible.

Optionally, at least one of the remainder segments may have a two-dimensional shape chosen from a group of circles, squares, diamonds, octagons, dagger shapes, saw tooth shapes, and island shapes. At least one remainder segment of the sheet-like member may also have a permanent adhesive on the adhesive lower surface. Alternatively, the destructible privacy label may further include a second sheet-like member having an upper surface and an adhesive lower surface, wherein the upper surface releasably contacts the first sheet-like member adhesive lower surface. A removable release liner may contact the second sheet-like member adhesive lower surface.

A method of protecting the privacy of a patient's identity and personal information in a healthcare setting includes the step of providing a destructible privacy label including a sheet-like member having an upper surface and an adhesive lower surface. The upper surface is adapted for printing indicia thereon. The sheet-like member includes two

segments conjoined about a separation line which defines adjacent segment edges and has a curvilinear shape. Each segment is separable from the other along the separation line.

5

In a preferred embodiment, the step of providing a destructible label may include providing a destructible label further including a removable release liner contacting the sheet-like member adhesive lower surface. The method may also include the steps of: printing indicia on the sheet-like member upper surface, the indicia being operative to indicate a patient's identity and personal information; removing the release liner from the sheet-like member adhesive lower surface; placing the adhesive lower surface of the sheet-like member on an object to associate the object with the patient's identity and personal information; and removing one of the sheet-like member segments from the object, thereby rendering the indicia printed on the sheet-like member upper surface illegible.

In an alternative embodiment, the step of providing a destructible label may include providing a destructible label further including a second sheet-like member having an upper surface and an adhesive lower surface, the upper surface releasably contacting the first sheet-like member adhesive lower surface, and a removable release liner contacting said second sheet-like member adhesive lower surface. The method may then also include the steps of: printing indicia on the first sheet-like member upper surface, the indicia operative to indicate a

patient's identity and personal information; removing
the release liner from the second sheet-like member
adhesive lower surface; placing the adhesive lower
surface of the second sheet-like member on an object
5 to associate the object with the patient's identity
and personal information; and removing one of the
first sheet-like member segments from the second
sheet-like member, thereby rendering the indicia
printed on the first sheet-like member upper surface
10 illegible.

These and other features and advantages of
the invention will be more fully understood from the
following description of certain specific embodiments
15 of the invention taken together with the accompanying
drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

20 In the drawings:

FIG. 1 is an exploded perspective view of a
destructible privacy label according to the present
invention;

25 FIG. 2 is a sectional elevational view of
the destructible privacy label of FIG. 1;

FIG. 3 is an exploded perspective view of an
30 alternative embodiment of a destructible label
according to the present invention;

FIG. 4 is a sectional elevational view of the embodiment of FIG. 3;

FIG. 5A is plan view of an alternative
5 embodiment of a destructible label according to the present invention;

FIG. 5B is plan view of an alternative
embodiment of a destructible label according to the
10 present invention;

FIG. 5C is plan view of an alternative
embodiment of a destructible label according to the
present invention;

15

FIG. 5D is plan view of an alternative
embodiment of a destructible label according to the
present invention;

FIG. 5E is plan view of an alternative
20 embodiment of a destructible label according to the present invention;

FIG. 5F is plan view of an alternative
25 embodiment of a destructible label according to the present invention;

FIG. 5G is plan view of an alternative
embodiment of a destructible label according to the
30 present invention;

FIG. 6 is an environmental view of a destructible privacy label in accordance with the present invention attached to a medical object; and

5 FIG. 7 is the environmental view of the destructible label of FIG. 6 after a segment of the sheet-like member has been removed.

DETAILED DESCRIPTION OF THE INVENTION

10

Referring now to the drawings in detail, numeral 10 generally indicates a destructible privacy label for easily destroying patient identity and personal information indicia printed on a surface of the label prior to disposal of a medical object to which the label is attached.

As illustrated in FIGS. 1 and 2, a destructible privacy label 10 includes a sheet-like member 12 having an upper surface 14 and an adhesive lower surface 16. The upper surface 14 is adapted for printing indicia 18 thereon. Indicia 18 may include a patient name, a patient social security number, a bar code, pharmaceutical drug names, as well as other patient information, words, symbols or alphanumeric text. The indicia 18 preferably may be printed by human or mechanical means. The sheet-like member includes two segments 20, 22 conjoined about a separation line 24 that defines adjacent segment edges 26, 28. The separation line 24 has a curvilinear shape. Each segment 20, 22 is separable from the other along the separation line 24. Removing one of

the segments from the other renders indicia 18 printed on the sheet-like member upper surface illegible.

Optionally, the separation line 24 may be a cut line. The separation line 24 may also be sinusoidal and extend from one edge of the sheet-like member to another edge of the sheet-like member. One of the segments 20, 22 of the sheet-like member may have a permanent adhesive on the adhesive lower surface 16. The destructible label 10 may also include a removable release liner 30 contacting the sheet-like member adhesive lower surface 16. The surface 32 of the release liner 30 contacting the sheet-like member adhesive lower surface may be siliconized.

Referring now to FIGS. 3 and 4, in an alternative embodiment the destructible label 10 may further include a second sheet-like member 34 having an upper surface 36 and an adhesive lower surface 38. The upper surface 36 releasably contacts the first sheet-like member adhesive lower surface 16. The upper surface 36 of the second sheet-like member 34 may be siliconized. The second sheet-like member 34 provides support for the segments 20, 22 of the first sheet-like member 12. A removable release liner 30 may contact the second sheet-like member adhesive lower surface. The surface 32 of the release liner 30 contacting the second sheet-like member adhesive lower surface may be siliconized.

FIGS. 5A through 5G illustrate other alternative embodiments of a destructible privacy

label 10. In these embodiments, the destructible privacy label 10 includes a sheet-like member 12 having an upper surface 14 and an adhesive lower surface 16. The upper surface 14 is adapted for printing indicia 18 thereon. The sheet-like member 12 includes a plurality of remainder segments 40 and at least one removable segment 42 that is separable from the remainder segments. Removing the removable segment 42 from the remainder segments 40 renders indicia 18 printed on the sheet-like member upper surface illegible. The remainder segments 40 of the sheet-like member may have a permanent adhesive on the adhesive lower surface 16. The destructible label 10 may further include a second sheet-like member 34 having an upper surface 36 and an adhesive lower surface 38. The second sheet-like member upper surface 36 releasably contacts the first sheet-like member adhesive lower surface 16. A removable release liner 30 may contact the second sheet-like member adhesive lower surface 38.

The remainder segments 40 may be of any size two-dimensional geometrical shape such as circles, squares, diamonds, octagons, dagger shapes, saw tooth shapes, and island shapes. It is only necessary that the remainder segments 40 be of such a size, shape, and location relative to each other that removal of the removable segment 42 causes indicia 18 printed on the sheet-like member upper surface 14 incomplete and therefore, illegible. FIG. 5A depicts remainder segments 40 that are circles. FIG. 5B depicts remainder segments 40 that are squares. FIG. 5C depicts remainder segments 40 that are diamonds. FIG.

5D depicts remainder segments 40 that are octagons.
FIG. 5E depicts remainder segments 40 that are dagger
shapes. FIG. 5F depicts remainder segments 40 that
are saw tooth shapes. FIG. 5G depicts remainder
5 segments 40 that are island shapes. ..

Referring now to FIGS. 1 through 4 and FIGS.
6 and 7, indicia 18 may be printed on the upper
surface 14 of the sheet-like member 12. The removable
10 release liner 30, if present, may then be removed from
the sheet-like member adhesive lower surface 16. The
adhesive lower surface 16 may then be placed on an
object 44 such as a medical IV bag, a medical record
sheet, a medical container, a medical instrument, a
15 medical device, or other similarly related object.
Placing the destructible label 10 on the object 44
associates the object with a patient's identity and
personal information represented by the indicia 18 on
the sheet-like member upper surface 14. At such time
20 that the association between the indicia 18 and the
object 44 is no longer needed, or prior to disposal of
the object 44, or after the elapsing of any other
period of time, one of the segments 20 may be removed
from the other segment 22 and from the object 44.
25 Removing the segment 20 thereby renders the indicia 18
printed on the sheet-like member upper surface 14
illegible. This effectively protects the privacy of
the patient's identity and personal information
represented by the indicia 18.

30

If the destructible label 10 includes a
second sheet-like member 34, then after indicia 18 is
printed on the first sheet-like member upper surface

14, the adhesive lower surface 38 of the second sheet-like member 34 is placed on an object 44. Further, if a removable release liner 30 is contacting the second sheet-member adhesive lower surface 38, then the
5 release liner 30 must be removed from the second sheet-like member 34 prior to placing the destructible label 10 on the object 44. Removing one of the first sheet-like member segments 20 from the other segment 22 and from the second sheet-like member 34 renders
10 the indicia 18 printed on the first sheet-like member upper surface 14 illegible.

Although the invention has been described by reference to specific embodiments, it should be
15 understood that numerous changes may be made within the spirit and scope of the inventive concepts described. Accordingly, it is intended that the invention not be limited to the described embodiments, but that it have the full scope defined by the
20 language of the following claims.